

Diversey



Oxivir[®]

Tough on Pathogens, Not on People
Fast, Effective, Responsible, Sustainable





Creating a Safer Environment for Patients, Residents, Patrons and Staff

Healthcare-Associated Infections (HAIs) are a serious and growing problem across North America. HAIs are the most common complication of hospital care and are one of the top 10 leading causes of death in North America.

Recent studies have shown that the environment can play a significant role in the transmission of pathogens and that the cleaning and disinfection of surfaces plays a critical role in reducing the risk of HAIs and improving patient outcomes.

The Centers for Disease Control and Prevention (CDC) Guidelines recommend surface disinfection and hand washing as two of the most important environmental controls to reduce HAIs.

Today's healthcare professionals need disinfectants that are fast, effective and responsible.

Until now, traditional Disinfectant Technologies have not kept pace with customer needs for **efficacy, cleaning, safety and sustainability.**

1930	1940	1950	1960	1970	1980	1990	2000	2010	2020
									AHP Hydrogen Peroxide (+) broad efficacy, fast acting, superior cleaning, sustainable (+) Rated EPA Category IV, the lowest level of hazard (practically non-toxic, not an irritant) and require no safety warnings
									Silver (+) fast acting (-) toxicity, environmental issues
									Peracetic Acid (+) broad efficacy, fast acting (-) unstable, unpleasant odor
									Quats (+) broad efficacy, low toxicity (-) slow acting; can bind with cleaning tools
									Phenolics (+) kills Tb (-) health hazards
									Iodine (+) broad efficacy (-) staining, corrosive
									Chlorine (+) broad efficacy (-) unstable, poor cleaner, corrosive



Oxivir® – Powered by AHP® Technology – Tough on Pathogens, Not on People

- AHP is a patented, synergistic blend of commonly used, safe ingredients that when combined with low levels of hydrogen peroxide dramatically increase its germicidal potency and cleaning performance.
- Oxivir Disinfectant Cleaners provide an alternative to traditional disinfectants by delivering fast acting, broad spectrum disinfection with enhanced cleaning power that is staff and patient friendly while being gentle on most surfaces. The active ingredient, hydrogen peroxide, breaks down into environmentally-friendly water and oxygen just minutes after use.

Now there is an alternative with proven efficacy that is gentle to staff and surfaces

Comprehensive product line meeting all application needs:

- Ready-to-use Liquid
- Pre-moistened Wipes
- Concentrate

Oxivir®
powered by **AHP®**
Patented





Efficacy

- Oxivir® disinfectant cleaners are effective against a broad range of healthcare associated pathogens including enveloped and non-enveloped viruses, Gram negative and positive bacteria, tuberculosis and fungi.
- Oxivir disinfectant cleaners meet U.S. and Canadian Bloodborne Pathogen Standards for decontaminating blood and body fluid spills.

Fast-acting

- Oxivir 1, offers a ready-to-use (RTU) with 81 claims, effective against viruses, bacteria, fungi and TB in 60 seconds or less, including soft surface sanitizing. Oxivir 1 wipes also disinfect key pathogens in 60 seconds or less, leading the line in efficacy and reducing the risk of the spread of infection.
- Oxivir Tb RTU liquid and wipes disinfect against most common healthcare-associated pathogens, such as Hepatitis B, Hepatitis C, Norovirus and multi-drug resistant organisms such as MRSA and VRE in just 60 seconds.
- Oxivir Five 16 Concentrate disinfects against most common healthcare associated pathogens in five minutes – half the contact time required of most dilutable disinfectants.



Efficacy of Oxivir Disinfectant Cleaners

Bactericidal activity of disinfectants (log₁₀ reduction) with a contact time of 30 seconds or 1 minute at 20° C with and without Fetal Calf Serum (FCS).

Organism	Oxivir Tb (0.5% H ₂ O ₂)	0.5% H ₂ O ₂	CHHPCD (1.4% H ₂ O ₂)	1.4% H ₂ O ₂	3.0% H ₂ O ₂	A456-II (QUAT)
~10 ⁶ inoculum, contact time = 1 minute, no 5% FCS						
MRSA	>6.62	≤4.04	>6.54	≤4.04	≤4.04	5.55
VRE	>6.34	≤3.61	>6.13	≤3.61	≤3.61	4.58
MDR <i>A. baumannii</i>	>6.76	≤4.28	>6.76	≤4.28	≤4.28	>6.76
~10 ⁶ inoculum, contact time = 30 seconds, no 5% FCS						
MRSA	>6.64	NT	>6.64	NT	≤4.16	≤4.165
VRE	>6.28	NT	>6.28	NT	≤3.80	≤3.80
MDR <i>A. baumannii</i>	>6.76	NT	>6.76	NT	≤4.28	6.11
~10 ³ inoculum, contact time = 1 minute, no 5% FCS						
MRSA	>3.71	≤1.23	>3.71	≤1.23	≤1.23	>3.71
VRE	>3.26	1.45	>3.26	NT	1.40	>3.26
MDR <i>A. baumannii</i>	>3.53	≤1.05	>3.53	NT	>3.53	>3.53
~10 ⁶ inoculum, contact time = 1 minute, 5% FCS present						
MRSA	>6.72	NT	>6.72	NT	≤4.24	≤4.24
VRE	>6.26	NT	>6.26	NT	≤3.78	≤3.78
MDR <i>A. baumannii</i>	>6.56	NT	>6.56	NT	≤4.08	>6.56


Note: Individual mean values may have the same result because the same inoculums on the same day may have been run against multiple disinfectants. If complete killing occurred, the minimum inactivation would equal the initial inoculum. Some results reported as "greater than X" because complete killing of the inoculums occurred. *A. baumannii*, *Acinetobacter baumannii*, CHHPCD, Clorox Healthcare Hydrogen Peroxide Cleaner Disinfectant; MDR, multidrug-resistant; MRSA, methicillin-resistant *Staphylococcus aureus*; NT, not tested; VRE, vancomycin-resistant *Enterococcus*.

Superior Cleaning Ability


- The patented AHP® technology contains a high-performance surfactant system that delivers superior cleaning results versus many other disinfectant technologies.
- Exceptional cleaning properties even in the presence of organic soils and hard water.
- Thorough soil removal enables effective one-step cleaning and disinfection, improving staff productivity.
- Oxivir® Disinfectant Cleaners will not bind with cleaning tool fabrics such as cotton or microfiber, eliminating the risk of reduced efficacy due to quat binding.

AHP Technology Cleans Better Than Traditional Disinfectants

% Soil Removal in a Standard Cleaning Test



Urban Soil Test - Oxivir Tb vs. Clorox HHPCD



Standard cleaning test results of Oxivir Tb Wipes vs. competitive Hydrogen peroxide wipes, **5X better cleaning!**



“We began using Oxivir as our primary disinfectant about a year ago. Our operations manager called it “Magic Water” because it cleans so well. We noticed a significant difference in the cleanliness of the hospital right away and our ATP results improved dramatically and have stayed consistently low. I believe we provide our patients with a safer environment because we use the best disinfectant on the market.”

*Todd Thyssen, Director
Maricopa Integrated Health System*





Safety


Although highly effective against key healthcare-associated pathogens, Oxivir® Disinfectant Cleaners were formulated with the comfort, safety and well-being of staff and patients in mind. Because of the low level of active ingredients in the AHP technology, Oxivir Disinfectant Cleaners are also compatible for use on most common surfaces in healthcare facilities.

Since Oxivir Disinfectant Cleaners are non-corrosive and non-irritating to skin and eyes at dilution, they can be safely used without personal protective equipment, enabling use by visitors or staff in public areas or patient settings. They are also pleasant to use, with no VOCs, added fragrances or strong chemical odors or fumes.

The EPA uses results from toxicity studies to determine safety ratings of cleaners and disinfectants in six areas: Acute Oral (ingestion), Acute Dermal (skin), Acute Inhalation, Primary Eye Irritation, Primary Skin Irritation and Dermal Sensitization. Products are categorized into one of four levels of toxicity for each of these areas. Category IV is the safest level, requiring no hazard indicators. **In all six EPA toxicity categories, Oxivir Disinfectant Cleaners, at use dilutions, fall into Category IV, the lowest level of hazard (practically non-toxic, not an irritant) and require no safety warnings.**



Highest ← TOXICITY → Lowest



The Hazard Materials Identification System (HMIS) is a numerical rating that measures the health hazard, flammability and physical hazards of substances. Oxivir Disinfectant Cleaners, at use dilutions, are rated at the lowest possible toxicity levels 0 - 0 - 0.

HEALTH	0	▶ Health - No significant risk to health
FLAMMABILITY	0	▶ Flammability - Materials that will not burn
PHYSICAL HAZARD	0	▶ Physical Hazard - Materials that are normally stable, even under fire conditions and will NOT react with water, polymerize, decompose, condense or self-react. Non-Explosives.



Gentle on Surfaces (Surface Compatibility)

Oxivir Disinfectant Cleaners can be safely used on most common healthcare surfaces. They are compatible with stainless steel, chrome, vinyl, nylon fabrics, laminated surfaces, glass, rubber and hard and flexible plastics such as polypropylene, polyurethane, polyethylene, PVC acrylic, fiberglass and polycarbonate.

Oxivir Disinfectant Cleaners are not recommended to be used on brass, marble, copper or extremely soft plastics.

Oxivir Provides Fast, Effective & Responsible Disinfection

	Oxivir® Tb, Oxivir® HC, Oxivir® 1 and Wipes	PDI Super Sani-Cloth™ Wipes	CaviWipes™ 1	Clorox Healthcare® Hydrogen Peroxide Wipes
HMIS Rating	0-0-0 (Safest)	2-3-0	3-2-0	0-0-0
Broader EPA Safety Category	Category IV (Safest)	Category I (Danger)	Category II (Warning)	Category III (Caution)
Irritancy Profile	Non-irritating to eyes and skin	Causes serious eye irritation	Moderately irritating to eyes	Irritating to eyes

"In our long-term care facility, Oxivir Tb is used by our employees and other individuals who clean common equipment such as computers and fitness equipment. We tried other products, but the safety rating of Oxivir Tb, along with its low odor and efficacy makes it ideal. We will continue to use this product where ever we can because it does not stain or damage equipment."

*Deb Burdsall
Lutheran Life Communities*





Sustainable

AHP[®] is a patented, synergistic blend of commonly used, safe ingredients that when combined with low levels of hydrogen peroxide dramatically increase its germicidal potency and cleaning performance.

Degradable

The active ingredient, hydrogen peroxide, degrades into environmentally friendly water and oxygen just minutes after use.

Environmentally Responsible

- All Oxivir[®] Disinfectant Cleaner ingredients appear on the EPA Inert or the FDA GRAS (Generally Regarded as Safe) listing.
- To improve the environmental and safety profile, no Alkylphenol Ethoxylates (APEs) or Nonylphenol Ethoxylates (NPEs) are used in Oxivir Disinfectant Cleaners; formulations include alternate raw materials that are more favorable for the environment.
- For improved indoor air quality, all Oxivir formulations are free of volatile organic compounds (VOCs).



Oxivir Ready-to-use disinfectant cleaners



Claims Overview*

	Oxivir [®] 1 RTU	Oxivir [®] 1 Wipes	Oxivir [®] Tb RTU	Oxivir [®] Tb Wipes	Oxivir [®] HC RTU	Oxivir [®] Five 16
Gram Positive Bacteria	1 Minute	1 Minute	1 Minute	1 Minute	1 Minute	5 Minutes
Gram Negative Bacteria	1 Minute	1 Minute	1 Minute	1 Minute	1 Minute	5 Minutes
Tuberculocidal	1 Minute	1 Minute	5 Minutes	5 Minutes	N/A	N/A
Enveloped Virus	30 Sec - 1 Minute	30 Sec - 1 Minute	1 Minute	1 Minute	1 Minute	5 Minutes
Non-Enveloped Virus	30 Sec - 1 Minute	30 Sec - 1 Minute	1 Minute	1 Minute	1 Minute	5 Minutes
Fungicidal	1 Minute	1 Minute	10 Minutes	10 Minutes	3 Minutes	10 Minutes
Non-Food Contact Sanitizer	10 Seconds	10 Seconds	30 Seconds	30 Seconds	30 Seconds	30 Seconds 1:16; 3 Min at 1:128
Soft Surface Sanitizer	30 Seconds	N/A	30 Seconds	N/A	30 Seconds	N/A

*For claims on specific organisms contact your Diversey representative or visit solutionsdesignedforhealthcare.com

Oxivir® 1 RTU and Oxivir® 1 Wipes

One-Step Ready-to-use Hospital Disinfectant Cleaner Wipe

Next generation one-step disinfectant cleaner in ready-to-use liquid and pre-wetted wipe format, based on proprietary AHP technology. Oxivir 1 is formulated to deliver broad spectrum disinfection in ONE minute or less, with 81 total claims for the RTU and 75 for the wipes. Formulations have an active ingredient of 0.5% hydrogen peroxide

Key Benefits

- Fast-acting, convenient formula, suitable for daily use and contact time of ONE minute or less
- Short contact times of 1 minute or less for viruses, including norovirus, 1-minute bactericidal, tuberculocidal and fungicidal and 10-second non-food contact sanitizing
- Formulated with patented AHP® technology containing no phosphates, quats or phenols
- Meets the lowest EPA toxicity category in all 6 toxicity studies, making it a responsible choice for users, around patients and on most common healthcare surfaces
- Broad spectrum, multi-surface cleaner/disinfectant and sanitizer
- Harnesses the cleaning power of hydrogen peroxide. Specially designed to penetrate the toughest soils
- The active ingredient breaks down to water and oxygen after use

Oxivir® 1 Wipes

SKU 100850922

60 count Canister – 7" x 8" wipe

SKU 100850923

160 count Canister – 6" x 7" wipe

SKU 100962573

60 count Canister – 10" x 10" wipe

SKU 100850924

160 count Bucket – 11" x 12" wipe

SKU 100850925

160 cCount Bucket Refill - 11" x 12" wipe

- Wipe substrate delivers superior cleaning performance
- Wipes have a 2-year shelf life and do not deteriorate in the presence of hydrogen peroxide



Oxivir® 1 RTU

SKU 100850916

12 x 32 oz. / 946 mL spray bottle

- Can be used with microfiber or cotton cleaning tools with no loss of active ingredients
- RTU has a 2-year shelf life
- 30-second claims for sanitizing soft surfaces





Oxivir® Tb and Oxivir® Tb Wipes

Oxivir Tb and Oxivir Tb Wipes are ready-to-use hospital disinfectant cleaners, powered by AHP® technology, that disinfect hard nonporous surfaces in just 60 seconds. These products are highly effective against a wide variety of pathogenic organisms. Formulations have an active ingredient of 0.5% hydrogen peroxide.

Key Benefits

- Kills a wide variety of organisms associated with HAIs: Norovirus, Hepatitis B, Hepatitis C, MRSA, VRE, Acinetobacter and Klebsiella in 60 seconds
- Oxivir Tb Wipes contact time against Norovirus (60 seconds) is 3x faster than some competitive wipes
- Meets bloodborne pathogen standards for decontaminating blood and body fluids
- Realistic 60-second contact time increases the likelihood of proper usage and compliance
- Regular use helps reduce costs associated with HAIs
- Non-irritating to eyes and skin — no gloves required when used as directed
- Non-corrosive formula is compatible with most hard, nonporous surfaces
- Active ingredients break down to oxygen and water
- No rinsing required at use dilution

Oxivir® Tb Wipes

- SKU 4599516
160 count Canister – 6” x 7” wipe
- SKU 5388471
60 count Canister – 7” x 8” wipe
- SKU 5627427
160 count Bucket – 11” x 12” wipe
- SKU 100823906
160 count Bucket Refill - 11” x 12” wipe
- SKU 100949406
120 x 8 count Soft Pack - 7.5” x 10” wipe

- Wipe substrate delivers superior cleaning performance
- Wipes have a 2 or 3-year shelf life and do not deteriorate in the presence of hydrogen peroxide



Oxivir® Tb RTU

- SKU 4277285
12 x 32 fl. oz / 946 mL
- SKU 100898636
RTU 4 x 1 gallon / 3.78 L
- SKU 101104055
5 gallon Pail, 1/CT
- SKU 101104053
55 gallon Drum, 1/CT
- SKU 5871411
330 gallon Tote, 1/CT

- Can be used with microfiber or cotton cleaning tools with no loss of active ingredients
- RTU has a 2-year shelf life



Oxivir® Five 16 Concentrate

Oxivir Five 16 Concentrate is a one-step disinfectant cleaner powered by proprietary AHP technology that disinfects hard nonporous surfaces in just five minutes. These products are effective against a broad spectrum of pathogenic organisms including bacteria, antibiotic-resistant bacteria, viruses and fungi. Concentrate formulation has 4.25% hydrogen peroxide.

Key Benefits

- Kills a variety of organisms associated with HAIs: Norovirus, Hepatitis B, Hepatitis C, multi-drug resistant organisms such as MRSA and VRE in 5 minutes
- At a 1:16 dilution, is a hospital disinfectant cleaner in 5 minutes. At a 1:64 dilution, is virucidal in 5 minutes, meeting bloodborne pathogen standards, At a 1:128 dilution, is a non-food contact sanitizer in 3 minutes
- At normal disinfectant dilution (1:16) non-irritating to eyes and skin, no gloves needed when used as directed

🇺🇸 SKU 4963331
2 x 2.5 L / 84.5 oz. J-Fill® Bottles

🇺🇸 SKU 4963314
4 x 1 gallon / 3.78 L Containers

🇺🇸 SKU 4963357
2 x 1.5 L / 1.59 Qt. RTD® Units

🇺🇸 SKU 5019296
2 x 1.4 L / 1.48 Qt. SmartDose™

🇺🇸 SKU 5271361
2 x 1.5 gallon / 5.67 L Command Center®

🇺🇸 SKU 101104070
1 x 5 gallon Containers



Oxivir® HC RTU

AHP® Performance with Highly Compatible Formula

High compatibility is the key feature of this great new innovation. The benefit of high compatibility is that Oxivir HC's gentler ingredients ensure less damaging effects from long-term use on materials such as clear plastic, acrylics, gloves and more.

Key Benefits

- Gentler on assets.
- Kills a wide variety of organisms associated with HAIs: Norovirus, Hepatitis B, Hepatitis C, MRSA, VRE, Acinetobacter and Klebsiella in 60 seconds
- Meets bloodborne pathogen standards for decontaminating blood and body fluids
- 60-second contact time enable proper usage and compliance
- Realistic 60-second contact time increases the likelihood of proper usage and compliance
- Non-irritating to eyes and skin — no gloves required when used as directed
- 2-year shelf life

🇺🇸 SKU 101104467
1 x 5 gallon / 18.9 L Pail





Diversey has been, and always will be, a pioneer and facilitator for life. We constantly deliver revolutionary cleaning and hygiene technologies that provide total confidence to our customers across all of our global sectors.

Diversey is headquartered in Fort Mill, SC, USA. For more information, visit www.diversey.com or follow us on social media.

www.diversey.com

© 2020 Diversey, Inc. All Rights Reserved. 24114-LIT90585 (20/307)
AHP® and Design are trademarks of Diversey, Inc.